

10099729-CLS1

Most Frequently Occurring Classifications of Patents Returned
From A Search of 10099729 on October 12, 2005

Original Classifications

9 704/275
3 379/88.01
3 455/563
2 379/88.02
2 379/88.04
2 704/260
2 704/276

Cross-Reference Classifications

9 704/270
7 704/275
4 379/88.01
4 704/231
3 704/246
3 704/270.1
2 359/376
2 379/213.01
2 379/88.02
2 379/88.04
2 379/88.07
2 379/88.16
2 379/88.17
2 455/563
2 704/251
2 704/253
2 704/260
2 704/272
2 704/274
2 715/781

Combined Classifications

16 704/275
10 704/270
7 379/88.01
5 455/563
4 379/88.02
4 379/88.04
4 704/231
4 704/260
4 704/270.1
3 379/88.17
3 704/246
3 704/272
3 704/276
2 359/376
2 359/379
2 379/213.01
2 379/88.07
2 379/88.16
2 704/251
2 704/253
2 704/274
2 715/781

10099729_CLSTITLES1

Titles of Most Frequently Occurring Classifications of Patents Returned
From A Search of 10099729 on October 12, 2005

- 16 704/275 (9 OR, 7 XR)
 Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
 LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
 COMPRESSION/DECOMPRESSION
 704/200 SPEECH SIGNAL PROCESSING
 704/270 .Application
 704/275 ..Speech controlled system

- 10 704/270 (1 OR, 9 XR)
 Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
 LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
 COMPRESSION/DECOMPRESSION
 704/200 SPEECH SIGNAL PROCESSING
 704/270 .Application

- 7 379/88.01 (3 OR, 4 XR)
 Class 379 : TELEPHONIC COMMUNICATIONS
 379/67.1 AUDIO MESSAGE STORAGE, RETRIEVAL, OR SYNTHESIS
 379/88.01 .Voice activation or recognition

- 5 455/563 (3 OR, 2 XR)
 Class 455 : TELECOMMUNICATIONS
 455/73 TRANSMITTER AND RECEIVER AT SAME STATION (E.G.,
 TRANSCIVER)
 455/550.1 .Radiotelephone equipment detail
 455/563 ..Having voice recognition or synthesization

- 4 379/88.02 (2 OR, 2 XR)
 Class 379 : TELEPHONIC COMMUNICATIONS
 379/67.1 AUDIO MESSAGE STORAGE, RETRIEVAL, OR SYNTHESIS
 379/88.01 .Voice activation or recognition
 379/88.02 ..Voice verification (e.g., voice
 authorization, voiceprint, etc.)

- 4 379/88.04 (2 OR, 2 XR)
 Class 379 : TELEPHONIC COMMUNICATIONS
 379/67.1 AUDIO MESSAGE STORAGE, RETRIEVAL, OR SYNTHESIS
 379/88.01 .Voice activation or recognition
 379/88.04 ..Voice controlled message management

- 4 704/231 (0 OR, 4 XR)
 Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
 LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
 COMPRESSION/DECOMPRESSION
 704/200 SPEECH SIGNAL PROCESSING
 704/231 .Recognition

- 4 704/260 (2 OR, 2 XR)
 Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
 LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
 COMPRESSION/DECOMPRESSION
 704/200 SPEECH SIGNAL PROCESSING
 704/258 .Synthesis
 704/260 ..Image to speech

- 4 704/270.1 (1 OR, 3 XR)

10099729_CLSTITLES1

- Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
COMPRESSION/DECOMPRESSION
704/200 SPEECH SIGNAL PROCESSING
704/270 .Application
704/270.1 ..Speech assisted network
- 3 379/88.17 (1 OR, 2 XR)
Class 379 : TELEPHONIC COMMUNICATIONS
379/67.1 AUDIO MESSAGE STORAGE, RETRIEVAL, OR SYNTHESIS
379/88.17 .Interaction with an external nontelephone
network (e.g., Internet)
- 3 704/246 (0 OR, 3 XR)
Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
COMPRESSION/DECOMPRESSION
704/200 SPEECH SIGNAL PROCESSING
704/231 .Recognition
704/246 ..Voice recognition
- 3 704/272 (1 OR, 2 XR)
Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
COMPRESSION/DECOMPRESSION
704/200 SPEECH SIGNAL PROCESSING
704/270 .Application
704/272 ..Novelty item
- 3 704/276 (2 OR, 1 XR)
Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING,
LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO
COMPRESSION/DECOMPRESSION
704/200 SPEECH SIGNAL PROCESSING
704/270 .Application
704/276 ..Pattern display
- 2 359/376 (0 OR, 2 XR)
Class 359 : OPTICS: SYSTEMS
359/362 COMPOUND LENS SYSTEM
359/368 .Microscope
359/372 ..With plural optical axes
359/374 ...Plural oculars
359/375Binocular
359/376Stereoscopic
- 2 359/379 (1 OR, 1 XR)
Class 359 : OPTICS: SYSTEMS
359/362 COMPOUND LENS SYSTEM
359/368 .Microscope
359/379 ..Spacing of optical elements axially
adjustable
- 2 379/213.01 (0 OR, 2 XR)
Class 379 : TELEPHONIC COMMUNICATIONS
379/201.01 SPECIAL SERVICES
379/211.01 .Call diversion (e.g., call capture)
379/213.01 ..Intercept (e.g., dead or changed number)
- 2 379/88.07 (0 OR, 2 XR)
Class 379 : TELEPHONIC COMMUNICATIONS
379/67.1 AUDIO MESSAGE STORAGE, RETRIEVAL, OR SYNTHESIS

10099729_CLSTITLES1

- 379/88.07 .Digital signal processing (DSP)
- 2 379/88.16 (0 OR, 2 XR)
 - Class 379 : TELEPHONIC COMMUNICATIONS
 - 379/67.1 AUDIO MESSAGE STORAGE, RETRIEVAL, OR SYNTHESIS
 - 379/88.16 .Voice message synthesis
- 2 704/251 (0 OR, 2 XR)
 - Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING, LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO COMPRESSION/DECOMPRESSION
 - 704/200 SPEECH SIGNAL PROCESSING
 - 704/231 .Recognition
 - 704/251 ..Word recognition
- 2 704/253 (0 OR, 2 XR)
 - Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING, LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO COMPRESSION/DECOMPRESSION
 - 704/200 SPEECH SIGNAL PROCESSING
 - 704/231 .Recognition
 - 704/251 ..Word recognition
 - 704/253 ...Endpoint detection
- 2 704/274 (0 OR, 2 XR)
 - Class 704 : DATA PROCESSING: SPEECH SIGNAL PROCESSING, LINGUISTICS, LANGUAGE TRANSLATION, AND AUDIO COMPRESSION/DECOMPRESSION
 - 704/200 SPEECH SIGNAL PROCESSING
 - 704/270 .Application
 - 704/274 ..Warning/alarm system
- 2 715/781 (0 OR, 2 XR)
 - Class 715 : DATA PROCESSING: PRESENTATION PROCESSING OF DOCUMENT
 - 715/700 OPERATOR INTERFACE (E.G., GRAPHICAL USER INTERFACE)
 - 715/764 .On-screen workspace or object
 - 715/781 ..Window or viewpoint

Search Results - Record(s) 1 through 11 of 11 returned.

L4: Entry 1 of 11

File: USPT

Mar 4, 2003

US-PAT-NO: 6529585
DOCUMENT-IDENTIFIER: US 6529585 B2

TITLE: Voice label processing apparatus and method

DATE-ISSUED: March 4, 2003

US-CL-CURRENT: 379/88.03; 379/355.01, 379/88.01, 704/243

INT-CL: [07] H04 M 1/64, G10 L 15/06

L4: Entry 2 of 11

File: USPT

Dec 4, 2001

US-PAT-NO: 6327346
DOCUMENT-IDENTIFIER: US 6327346 B1

TITLE: Method and apparatus for setting user communication parameters based on voice identification of users

DATE-ISSUED: December 4, 2001

US-CL-CURRENT: 379/88.02; 379/201.1, 379/207.13, 379/93.03

INT-CL: [07] H04 M 1/64, H04 M 3/42

L4: Entry 3 of 11

File: USPT

Jun 4, 1985

US-PAT-NO: 4520576
DOCUMENT-IDENTIFIER: US 4520576 A

TITLE: Conversational voice command control system for home appliance

DATE-ISSUED: June 4, 1985

US-CL-CURRENT: 34/534; 219/714, 34/562, 367/198, 704/275

INT-CL: [03] F26B 21/06

L4: Entry 4 of 11

File: DWPI

Mar 4, 2003

DERWENT-ACC-NO: 2002-617166
ABSTRACTED-PUB-NO: US20020071527A
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Communication connection establishment method in telecommunication network, involves converting voice label input signal into voice label code and then into destination identifier for connection establishment

INT-CL (IPC): G10 L 15/06, H04 M 1/64

Derwent-CL (DC): P86, T01 , W01 , W04

EPI Codes: T01-C08A; T01-J18; W01-C01B1B; W01-C02B5; W01-C02B9; W04-V01; W04-V04A;

L4: Entry 5 of 11

File: DWPI

Dec 4, 2001

DERWENT-ACC-NO: 2002-279209
ABSTRACTED-PUB-NO: US 6327346B
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Communication parameter setting method for establishing voice communication, involves retrieving communication setting information from user profile database, for setting communication parameter based on identified user

INT-CL (IPC): H04 M 1/64, H04 M 3/42

Derwent-CL (DC): T01, W01

EPI Codes: T01-J05B4P; T01-J18; T01-N01D1A; T01-N02A3B; T01-N02B1; W01-C01D;

L4: Entry 6 of 11

File: DWPI

Sep 2, 1999

DERWENT-ACC-NO: 1999-561459
ABSTRACTED-PUB-NO: US 6195568B
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Adaption method for permitting multiple user to use mobile telephone

INT-CL (IPC): H04 B 1/38, H04 M 1/72, H04 Q 7/32

Derwent-CL (DC): W01, W02

EPI Codes: W01-B05A1A; W01-C01D3D; W01-C02B6A; W02-C03C1A; W02-C03C1C;

L4: Entry 7 of 11

File: DWPI

Aug 1, 2002

DERWENT-ACC-NO: 1998-379215
ABSTRACTED-PUB-NO: EP 854417A
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Hand held wireless voice activated device for browsing hypermedia network e.g. internet - has processor for performing voice recognition process and memory for storing voice recognition process and grammar files

INT-CL (IPC): G06 F 3/16, G06 F 13/00, G06 F 15/76, G06 F 17/30, G10 L 15/00, H04 N 5/44

Derwent-CL (DC): P86, T01

EPI Codes: T01-C08A;

L4: Entry 8 of 11

File: DWPI

Apr 22, 1997

DERWENT-ACC-NO: 1997-244613
ABSTRACTED-PUB-NO: US 5623539A
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Authorised user determining apparatus which uses voice analysis algorithms - stores authorised voice patterns of several users and receives voice information from telephone line, which is segregated into several voice patterns that are compared with the stored one to determine which users are authorised

INT-CL (IPC): H04 M 1/66

Derwent-CL (DC): W01, W04

EPI Codes: W01-C02B6A; W01-C02G5; W04-V04A;

L4: Entry 9 of 11

File: DWPI

Feb 4, 1997

DERWENT-ACC-NO: 1997-118655
ABSTRACTED-PUB-NO: US 5600781A
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Computer system customising method for specific user - involves automatically configuring program executing on computer system to use personalised user interface information in local memory of computer system

INT-CL (IPC): G06 F 3/14
Derwent-CL (DC): T01, T04
EPI Codes: T01-C02B1H; T01-M06A1A; T04-F02A5; T04-K01;

L4: Entry 10 of 11

File: DWPI

Sep 21, 1988

DERWENT-ACC-NO: 1988-265557
ABSTRACTED-PUB-NO: EP 283120A
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Multi-user speech recognition system - has data base storing templates for transfer to recognisers assigned to specific terminals

INT-CL (IPC): G10L 5/06
Derwent-CL (DC): P86, W04
EPI Codes: W04-V01;

L4: Entry 11 of 11

File: DWPI

Jun 4, 1985

DERWENT-ACC-NO: 1985-152261
ABSTRACTED-PUB-NO: US 4520576A
COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: Conversational voice command control system for home appliance - responds to commands by emitting synthesised speech and obtaining necessary input for setting operating parameters

INT-CL (IPC): F26B 21/06
Derwent-CL (DC): Q76, W04 , X27
EPI Codes: W04-V; X27-D01A; X27-D02;

[Previous Page](#)

[Next Page](#)

Case Creation Option

Case "10099729" already exists. Please overwrite it or cancel the operation.

The Contents of Case "10099729"

Qnum	Query	DB Name	Thesaurus
Q1	(6195568 5252951 5600781 6457024 6819219 5915001 6122614 6144723 4797924 5509049 5623539 6216104 6216104 6400806 6731722 6885736 6052666 5915239 4945570 5764731 5749072 5794205 5867308 5974384 6005710 6070139 6184804 6188985 6243685 4520576 4922538 4939772 5182765 5386494 5406618 5444673 5556283 5572570 5664097 5681108 5752232 5781179 5831190 5892813 5930757 5990579 6044346 6067516 6073103 6125284).pn.	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	None
Q2	(device near2 identifi\$6) and (voice near2 identifi\$5) and (user near3 profile)	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	None
Q3	Q2 and Q1	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	None
Q4	('US 5623539A' 'EP 854417A' 'US 6195568B' '4520576' 'EP 283120A' 'US 5600781A' '6327346' '6529585')!.ABPN1,NRPN,PN,TBAN,WKU.	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	None
Q5	Q2 and (device adj identific\$6)	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	None
Q6	Q2 and translat\$3	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	None
Q7	Q6 and command\$3	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	None

WEST Search History

DATE: Friday, November 18, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L8	L7 and ((plurality or first or second) near2 device)	26
<input type="checkbox"/>	L7	l2 and (voice near2 recogni\$6)	50
<input type="checkbox"/>	L6	L5 and L4	0
<input type="checkbox"/>	L5	(device near2 identifi\$6) and (voice near2 identifi\$5) and (user near3 profile) (6195568 5252951 5600781 6457024 6819219 5915001 6122614 6144723 4797924 5509049 5623539 6216104 6216104 6400806 6731722 6885736 6052666 5915239 4945570 5764731 5749072 5794205 5867308 5974384 6005710 6070139 6184804 6188985 6243685 4520576 4922538 4939772 5182765 5386494 5406618 5444673 5556283 5572570 5664097 5681108 5752232 5781179 5831190 5892813 5930757 5990579 6044346 6067516 6073103 6125284).pn.	61
<input type="checkbox"/>	L4		95
<input type="checkbox"/>	L3	L2 and L1	0
<input type="checkbox"/>	L2	(device near2 identifi\$6) and (voice near2 identifi\$5) and (user near3 profile) (6195568 5252951 5600781 6457024 6819219 5915001 6122614 6144723 4797924 5509049 5623539 6216104 6216104 6400806 6731722 6885736 6052666 5915239 4945570 5764731 5749072 5794205 5867308 5974384 6005710 6070139 6184804 6188985 6243685 4520576 4922538 4939772 5182765 5386494 5406618 5444673 5556283 5572570 5664097 5681108 5752232 5781179 5831190 5892813 5930757 5990579 6044346 6067516 6073103 6125284).pn.	61
<input type="checkbox"/>	L1		95

END OF SEARCH HISTORY